

1 Sums and Limits

mathclap & friends

$$X = \sum_{1 \leq i \leq j \leq n} X_{ij}$$

$$X = \sum_{1 \leq i \leq j \leq n} X_{ij}$$

$$X = \sum_{1 \leq i \leq j \leq n} X_{ij}$$

$$X = \sum_{1 \leq i \leq j \leq n} X_{ij}$$

Cramped

$$x^2 \leftrightarrow x^2 \quad x^2 \leftrightarrow x^2$$

Smashoperator

$$V = \sum_{1 \leq i \leq j \leq n} V_{ij} \quad X = \sum_{1 \leq i \leq j \leq n}^{3456} X_{ij} \quad Y = \sum_{1 \leq i \leq j \leq n} Y_{ij} \quad Z = \sum_{1 \leq i \leq j \leq n}^T Z_{ij}$$

$$V = \sum_{1 \leq i \leq j \leq n} V_{ij} \quad X = \sum_{1 \leq i \leq j \leq n}^{3456} X_{ij} \quad Y = \sum_{1 \leq i \leq j \leq n} Y_{ij} \quad Z = \sum_{1 \leq i \leq j \leq n}^T Z_{ij}$$

Adjustlimits

$$\text{a) } \lim_{n \rightarrow \infty} \max_{p \geq n} \quad \text{b) } \lim_{n \rightarrow \infty} \max_{p^2 \geq n} \quad \text{c) } \lim_{n \rightarrow \infty} \sup_{p^2 \geq nK} \quad \text{d) } \lim_{n \rightarrow \infty} \sup_{p \geq n} \max$$

$$\text{a) } \lim_{n \rightarrow \infty} \max_{p \geq n} \quad \text{b) } \lim_{n \rightarrow \infty} \max_{p^2 \geq n} \quad \text{c) } \lim_{n \rightarrow \infty} \sup_{p^2 \geq nK} \quad \text{d) } \lim_{n \rightarrow \infty} \sup_{p \geq n} \max$$

2 Tags

$$a = b$$

Q&A

See Q&A or is it better with Q&A?

$$a = b$$

Q&A

$$a = b$$

[Q&A]

Normal tags.

$$a = a$$

(1)

That was equation (1).

OK tags.

$$a = a \tag{2}$$

That was equation [2], but recall [1]

odd tag.

$$a = a \tag{3}$$

That was equation {3}, but recall {1} and {2}.

weird tag.

$$b = b \tag{4}$$

That was equation ((4)), but recall ((1)), ((2)) and ((3)).

Normal tags again.

$$c = c \tag{5}$$

Non-textual

$$d = d \tag{nth}$$

That was equation (5), but recall (1), (2), (3), (4) and (nth).

$$a = a \tag{6}$$

$$b = b \tag{**}$$

This should refer to the equation containing $a = a$: (6). Then a switch of tag forms.

$$c = c \tag{7}$$

$$d = d \tag{8}$$

This should refer to the equation containing $d = d$: (8) (but recall (6)).

$$e = e \tag{9}$$

$$f = f \tag{10}$$

$$1 + 1 = 2$$

$$2 + 2 = 4$$

Blabla (2).

3 Arrows

$$\begin{array}{c}
 A \xleftarrow[\text{under}]{\text{over}} B \xrightarrow[\text{under}]{\text{over}} C \\
 x \xleftarrow[\text{under}]{\text{overloooooong}} y \xrightarrow[\text{underloooooong}]{\text{over}} z \\
 x \xleftarrow[\text{bar}]{\text{foo}} y \xrightarrow[\text{bluuuuuuub}]{\text{baz}} t \xrightarrow[\text{heereee}]{\text{heereee}} k \\
 k \xleftarrow{\cdot} l \xleftrightarrow{\dots} m \xrightarrow{\dots} n \xrightarrow{\dots} o \\
 x \xleftrightarrow[\text{blaaaaaab}]{\text{bluuuuub}} y \xleftrightarrow{\text{blaaaaaab}} z \\
 z = \overbrace{\underbrace{x}_{\text{real}} + i \underbrace{y}_{\text{imaginary}}}^{\text{complex number}} \underbrace{1 + 1}_{=2}
 \end{array}$$

4 Matrices

$$\begin{array}{c}
 c \text{ cococococo} \\
 c \quad c \\
 \\
 lalalalala \quad l \\
 l \quad l \\
 \\
 r \text{ rrrrrrrr} \quad r \\
 \quad r \quad r \\
 \\
 \left(\begin{array}{cc} \text{ppppppp} & \text{foo} \\ l & \text{pppppppppppppppp} \end{array} \right) \\
 \\
 \begin{bmatrix} b & b \\ b & b \end{bmatrix} \\
 \\
 \left\{ \begin{array}{cc} B & B \\ B & \text{BBBBBBBrBBBBBB} \end{array} \right\} \\
 \\
 \begin{vmatrix} v & v \\ v & v \end{vmatrix} \\
 \\
 \left\| \begin{array}{cc} V & V \\ \text{VVVVVVVcVVVVVV} & \text{bar} \end{array} \right\| \\
 \\
 \left| \begin{array}{cc} a & \text{blblblblblblblblblbl} \\ c & d \end{array} \right| \\
 \\
 \begin{bmatrix} a & -b \\ -c & d \end{bmatrix} \begin{bmatrix} a & -b \\ -c & d \end{bmatrix}
 \end{array}$$

$$\begin{aligned} & \left\| \begin{array}{cc} e & -f \\ -g & h \end{array} \right\| \left\| \begin{array}{cc} e & -f \\ -g & h \end{array} \right\| \\ & \begin{bmatrix} a & -bbbb \\ -c & d \end{bmatrix} \begin{bmatrix} a & -bbbb \\ -c & d \end{bmatrix} \\ & \left\| \begin{array}{cc} e & -ffff \\ -g & h \end{array} \right\| \left\| \begin{array}{cc} e & -ffff \\ -g & h \end{array} \right\| \\ & \begin{bmatrix} a & -bbbb \\ -c & d \end{bmatrix} \begin{bmatrix} a & -bbbb \\ -c & d \end{bmatrix} \\ & \left\| \begin{array}{cc} e & -ffff \\ -g & h \end{array} \right\| \left\| \begin{array}{cc} e & -ffff \\ -g & h \end{array} \right\| \end{aligned}$$

5 Cases

$$\left\{ \begin{array}{ll} E = mc^2 & \text{Nothing to see here} \\ \int x - 3 dx & \text{Integral is text style} \end{array} \right.$$

$$\left\{ \begin{array}{ll} E = mc^2 & c \approx 3.00 \times 10^8 \text{ m/s} \\ \int x - 3 dx & \text{Integral is display style} \end{array} \right.$$

$$a = \left\{ \begin{array}{ll} E = mc^2 & \text{Nothing to see here (text in math)} \\ \int x - 3 dx & \text{Integral is display style (text in math)} \end{array} \right.$$

$$\left. \begin{array}{ll} E = mc^2 & 5^6 \text{ andsoon} \\ \int x - 3 dx & \int x dx \end{array} \right\} = b$$

$$\left. \begin{array}{ll} x^2 & \text{for } \int x dx > 0 \\ x^3 & \text{else} \end{array} \right\} \Rightarrow \dots$$

$$\left. \begin{array}{ll} E = mc^2 & 5^6 \text{ andsoon} \\ \int x - 3 dx & \int x dx \end{array} \right\} = b$$

$$\left. \begin{array}{ll} x^2 & \text{for } \int x dx > 0 \\ \int x^3 x & \text{else} \end{array} \right\} \Rightarrow \dots$$

$$\text{foo} = \left\{ \begin{array}{ll} \pi & \text{if something} \\ \int \Omega^\Xi \Omega & \text{otherwise} \end{array} \right.$$

6 Gathered

$$A = \boxed{\text{first}} B$$

$$\boxed{\text{last}}$$

$$a = b + c$$

$$b = c + d$$

...

$\boxed{\text{hello}}$

$$\boxed{f(x) = \int h(x) dx}$$

$$= g(x)$$

$$a = b \tag{11}$$

Some text

$$c = d \tag{12}$$

Some short text

$$e = f \tag{13}$$

7 Delimiters

$$\left| \frac{a}{c} \right| \quad \left| \frac{a}{c} \right| \quad \left| \frac{a}{b} \right|$$

$$\left| \frac{a}{b} \right| \quad \left| \frac{a}{b} \right| \quad \left| \frac{a}{b} \right| \quad \left| \frac{a}{b} \right|$$

$$|\@ \pi \@| \quad |-\phi-|$$

$$\left\langle A, \frac{1}{2} \right\rangle \quad \left\langle B \mid \sum_k f_k \mid C \right\rangle$$

$$\left\{ x \in X \mid \frac{\sqrt{x}}{x^2 + 1} > 1 \right\}$$

$$\langle 1 \mid \frac{8}{\frac{1}{3}} \mid 3 \rangle \quad \langle 1 \mid \frac{8}{\frac{1}{3}} \mid 3 \rangle \quad \langle 1 \mid \frac{8}{\frac{1}{3}} \mid 3 \rangle$$

$$\left(\frac{\pi}{\omega} \right) \cdot \left[\int x dx \right] \dots \left[\sqrt{\frac{\sin x}{\cos z}} \right] \dots \left(\frac{\frac{fo}{\bar{a}r}}{\frac{\bar{b}a}{z}} \right)_{\frac{qu}{x}}$$

Operators

$$a := b \quad a := b \quad a := b$$

$$a := b \quad c :: \approx d \quad e :: f$$

$$\times \times \dagger \otimes \otimes$$

8 Prescripts

$${}^4_{12}\mathbf{C}_2^{5+} \quad {}^{14}_2\mathbf{C}_2^{5+} \quad {}^4_{12}\mathbf{C}_2^{5+} \quad {}^{14}\mathbf{C}_2^{5+} \quad {}_2\mathbf{C}_2^{5+}$$

$$\frac{A}{Z}X \rightarrow \frac{A-4}{Z-2}Y + \frac{4}{2}\alpha$$

$$a = \frac{xy + xy + \int xy \, dx + xy + xy}{z} = \frac{xy + xy + \int xy \, dx + xy + xy}{z}$$

9 Multlines

$$p(x) = 3x^6 + 14x^5y + 590x^4y^2 + 19x^3y^3 - 12x^2y^4 - 12xy^5 + 2y^6 - a^3b^3$$

$$A = \begin{array}{l} \boxed{first} \quad B \\ \boxed{last} \end{array}$$

$$A = \begin{array}{l} \boxed{first} \quad B \\ \boxed{last} \end{array}$$

$$A = \begin{array}{l} \boxed{first} \\ \boxed{last} \quad B \end{array}$$

$$A = \begin{array}{l} \boxed{first} \quad B \\ \boxed{last} \end{array}$$

$$A = \begin{array}{l} \boxed{first} \\ \boxed{last} \quad B \end{array}$$

$$A = \boxed{first}$$

$$A = \boxed{\textit{first}} \qquad B$$

$$\qquad \qquad \qquad \boxed{\textit{last}}$$

$$A = \boxed{\textit{first}}$$

$$\qquad \qquad \qquad \boxed{\textit{last}} B$$

$$A = \boxed{\textit{first}} B$$

$$\qquad \qquad \qquad \boxed{\textit{last}}$$

$$\textit{foo} ::= x = 1, \quad x + 1 = 2 \qquad (14)$$

$$\qquad \qquad \qquad y = 2$$

$$\qquad \qquad \qquad x = 1, \quad x + 1 = 2$$

$$\textit{bar} ::= \qquad \qquad \qquad y = 2 \qquad (15)$$

10 Spread-lines

Spread it

$$\begin{array}{ccc} a & b & c \\ d & e & f \\ g & h & i \end{array}$$

$$\begin{pmatrix} a_{1,1} & a_{1,2} & \cdots & a_{1,n} \\ a_{2,1} & a_{2,2} & \cdots & a_{2,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m,1} & a_{m,2} & \cdots & a_{m,n} \end{pmatrix}$$

$$\begin{cases} \begin{matrix} a & b \\ c & d \end{matrix} & \text{if } n \text{ is even} \\ -(n+1)/2 & \text{if } n \text{ is odd} \end{cases}$$

$$a = b + c - d$$

$$+ e - f$$

(16)

$$= g + h$$

$$= i$$

$$a + b + c + d + e + f$$

$$+ i + j + k + l + m + n \quad (17)$$

$$a = b \quad (18)$$

$$c = d \quad (19)$$

$$a_1 = b_1 + c_1 \quad (20)$$

$$a_2 = b_2 + c_2 - d_2 + e_2 \quad (21)$$

$$a_{11} = b_{11}$$

$$a_{12} = b_{12}$$

$$a_{21} = b_{21}$$

$$a_{22} = b_{22} + c_{22}$$

$$x = y_1 - y_2 + y_3 - y_5 + y_8 - \dots \quad \text{by foo} \quad (22)$$

$$= y' \circ y^* \quad \text{by baz} \quad (23)$$

$$= y(0)y' \quad \text{by Axiom 1.} \quad (24)$$

$$\left. \begin{aligned} B' &= -\partial \times E, \\ E' &= \partial \times B - 4\pi j, \end{aligned} \right\} \text{Maxwell's equations}$$

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

$$\sum_{\substack{i \in \Lambda \\ 0 < j < n}} P(i, j)$$

$$y = ax^2 + bx + c \tag{25}$$

$$f(x) = x^2 + 2xy + y^2 \tag{26}$$

Firstline

Secondline

$L + E + F + T$

$R + I + G + H + T$

$L + E + F + T$

$R + I + G + H + T$

WupWup

Lastline

11 Stepped lines

1* $x = 1, \quad x + 1 = 2$ **over**

2* $y = 2$ **over**


42

See: $s = 2.8, \quad s + 0.2 = 3$ the end

See: $t = 4.5$ the end

1337

12 Shifting equations



$$\Leftrightarrow \boxed{1} = \boxed{2} \tag{27}$$

$$\boxed{3} = \boxed{4} \tag{28}$$

$$\begin{aligned} a &= b \\ &\vdots \\ &= c \\ &\vdots \\ &= d \end{aligned}$$